


Copyright as per DIN 34 to be observed !

Created with ELCAD (R) 7.0.4

All wires without cross-section specification are mm²



3AC 480V 50/60Hz


Earthing, protective grounding and protective circuit according to the regulations of the responsible power company !

		Date	23.02.2021	MIL TOUCH-45		MILNOR 1		81-001095			
		Created by	JARC								
		Checked									
R. Change	Date	Name	Standard	Origin	Replaced for	Replaced by	WIRING DIAGRAM	M200 or C200	MIL TOUCH-45_480V	Sheet 1	5 Sh.

Copyright as per DIN 34 to be observed !

Created with ELCAD (R) 7.0.4

All wires without cross-section specification are mm²




R. Change		Date	Name	Standard	Origin	Replaced for	Replaced by	WIRING DIAGRAM		M200 or C200		MIL TOUCH-45_480V		Sheet 2	
														5 Sh.	

Copyright as per DIN 34 to be observed !

Created with ELCAD (R) 7.0.4

All wires without cross-section specification are mm²




R. Change		Date	Name	Standard	Origin	Replaced for	Replaced by	WIRING DIAGRAM		M200 or C200		MIL TOUCH-45_480V		Sheet 3	
														5 Sh.	

Copyright as per DIN 34 to be observed !

Created with ELCAD (R) 7.0.4

All wires without cross-section specification are mm²




R. Change		Date	Name	Standard	Origin	Replaced for	Replaced by	MILNOR 4		81-001095		Sheet 4 5 Sh.	
Date		23.02.2021	JARC					WIRING DIAGRAM		M200 or C200		MIL TOUCH-45_480V	
Date		23.02.2021	JARC										
Date		23.02.2021	JARC										

Copyright as per DIN 34 to be observed !

Created with ELCAD (R) 7.0.4

All wires without cross-section specification are mm²



R. Change		Date	Name	Standard	Origin	Replaced for	Replaced by	WIRING DIAGRAM		M200 or C200		MIL TOUCH-45_480V		Sheet 5
														5 Sh.